

ANALYTICAL REPORT

Job Number: 420-194951-1

SDG Number: Port Jervis CSD High School

Job Description: Orange-Ulster BOCES

For:

Orange-Ulster BOCES

53 Gibson Road

Goshen, NY 10924

Attention: Jack DeGraw



Designee for

Meredith W Ruthven

Customer Service Manager

mruthven@envirotestlaboratories.com

05/31/2021

NYSDOH ELAP does not certify for all parameters. EnviroTest Laboratories does hold certification for all analytes where certification is offered by ELAP unless otherwise specified in the Certification Information section of this report. Pursuant to NELAP, this report may not be reproduced, except in full, without written approval of the laboratory. EnviroTest Laboratories LLC certifies that the analytical results contained herein apply only to the samples tested as received by our laboratory. All questions regarding this report should be directed to the EnviroTest Customer Service Representative. All services performed by EnviroTest Laboratories LLC are subject to our Terms and Conditions available at Envirotestlabs/terms.com. As of 12/23/19, EnviroTest Laboratories LLC acquired substantially all of the lab and testing assets of EnviroTest Laboratories Inc, including its name.

EnviroTest Laboratories, LLC. Certifications and Approvals: NYSDOH 10142, NJDEP NY015, CTDOH PH-0554

Envirotest Laboratories

315 Fullerton Avenue, Newburgh, NY 12550

Tel (845) 562-0890 Fax (845) 562-0841 www.envirotestlaboratories.com

METHOD SUMMARY

Client: Orange-Ulster BOCES

Job Number: 420-194951-1
SDG Number: Port Jervis CSD High School

Description	Lab Location	Method	Preparation Method
Matrix: Water			
ICPMS Metals by 200.8	EnvTest	EPA 200.8 Rev.5.4	
200 Series Drinking Water Prep Determination Step	EnvTest		EPA 200.7/200.8

Lab References:

EnvTest = EnviroTest

Method References:

EPA = US Environmental Protection Agency

METHOD / ANALYST SUMMARY

Client: Orange-Ulster BOCES

Job Number: 420-194951-1

SDG Number: Port Jervis CSD High School

Method	Analyst	Analyst ID
EPA 200.8 Rev.5.4	Luis, Carlos	CL

SAMPLE SUMMARY

Client: Orange-Ulster BOCES

Job Number: 420-194951-1
SDG Number: Port Jervis CSD High School

Lab Sample ID	Client Sample ID	Client Matrix	Date/Time Sampled	Date/Time Received
420-194951-1	Stage - Slop Sink	Drinking Water	04/09/2021 0350	04/13/2021 0858
420-194951-2	Kitchen - Dishwashing Sprayer	Drinking Water	04/09/2021 0354	04/13/2021 0858
420-194951-3	Kitchen - Deep Sink by Coffee Station	Drinking Water	04/09/2021 0356	04/13/2021 0858
420-194951-4	Kitchen - Kettle Filler	Drinking Water	04/09/2021 0357	04/13/2021 0858
420-194951-5	Kitchen - Pot Filler over Stove	Drinking Water	04/09/2021 0359	04/13/2021 0858
420-194951-6	Kitchen - 3 Bay Sink (Left)	Drinking Water	04/09/2021 0359	04/13/2021 0858
420-194951-7	Kitchen - 3 Bay Sink (Middle)	Drinking Water	04/09/2021 0400	04/13/2021 0858
420-194951-8	Kitchen - 3 Bay Sink (Right)	Drinking Water	04/09/2021 0401	04/13/2021 0858
420-194951-9	Kitchen - Deep Sink behind Serving line #2	Drinking Water	04/09/2021 0402	04/13/2021 0858
420-194951-10	Kitchen - Bathroom Sink	Drinking Water	04/09/2021 0403	04/13/2021 0858
420-194951-11	Copy/ Dining Room behind Kitchen - Sink	Drinking Water	04/09/2021 0403	04/13/2021 0858
420-194951-12	Copy/ Dining Room behind Kitchen - Sprayer	Drinking Water	04/09/2021 0404	04/13/2021 0858
420-194951-13	Guidance Hallway - Bottle Filler	Drinking Water	04/09/2021 0406	04/13/2021 0858
420-194951-14	Guidance Hallway - Handicapped Bathroom - Sink	Drinking Water	04/09/2021 0407	04/13/2021 0858
420-194951-15	Main Office Bathroom Sink	Drinking Water	04/09/2021 0409	04/13/2021 0858
420-194951-16	Nurse's Office - Bathroom Sink	Drinking Water	04/09/2021 0410	04/13/2021 0858
420-194951-17	Nurse's Office - Sink	Drinking Water	04/09/2021 0411	04/13/2021 0858
420-194951-18	Nurse's Office - Sprayer	Drinking Water	04/09/2021 0411	04/13/2021 0858
420-194951-19	Nurse's Office - Sink (rear exam room)	Drinking Water	04/09/2021 0412	04/13/2021 0858
420-194951-20	Girls Locker Room - Bottle Filler	Drinking Water	04/09/2021 0413	04/13/2021 0858
420-194951-21	Boys Locker Room - Bottle Filler	Drinking Water	04/09/2021 0415	04/13/2021 0858
420-194951-22	Ice Machine - Spigot	Drinking Water	04/09/2021 0416	04/13/2021 0858
420-194951-23	Ice Machine - (Left)	Drinking Water	04/09/2021 0417	04/13/2021 0858
420-194951-24	Trainer's Office - Sink	Drinking Water	04/09/2021 0420	04/13/2021 0858
420-194951-25	Room 102 Wood Shop Sink	Drinking Water	04/09/2021 0421	04/13/2021 0858
420-194951-26	Hallway across from Room 103 - Bottle Filler	Drinking Water	04/09/2021 0422	04/13/2021 0858
420-194951-27	1st Floor Faculty Lounge Bathroom - Sink	Drinking Water	04/09/2021 0423	04/13/2021 0858
420-194951-28	Room 103 - Kitchen Sink #1	Drinking Water	04/09/2021 0424	04/13/2021 0858
420-194951-29	Room 103 - Kitchen Sink #2	Drinking Water	04/09/2021 0425	04/13/2021 0858
420-194951-30	Room 103 - Kitchen Sink #3	Drinking Water	04/09/2021 0425	04/13/2021 0858
420-194951-31	Room 103 - Kitchen Sink #4	Drinking Water	04/09/2021 0426	04/13/2021 0858

SAMPLE SUMMARY

Client: Orange-Ulster BOCES

Job Number: 420-194951-1
SDG Number: Port Jervis CSD High School

Lab Sample ID	Client Sample ID	Client Matrix	Date/Time Sampled	Date/Time Received
420-194951-32	Room 104 - Sink	Drinking Water	04/09/2021 0427	04/13/2021 0858
420-194951-33	Room 115 (Art Room) -3 Bay Sink (Left)	Drinking Water	04/09/2021 0429	04/13/2021 0858
420-194951-34	Room 115 (Art Room) -3 Bay Sink (Middle)	Drinking Water	04/09/2021 0429	04/13/2021 0858
420-194951-35	Room 115 (Art Room) -3 Bay Sink (Right)	Drinking Water	04/09/2021 0430	04/13/2021 0858
420-194951-36	Room 116 (Art Room) -3 Bay Sink (Left)	Drinking Water	04/09/2021 0431	04/13/2021 0858
420-194951-37	Room 116 (Art Room) -3 Bay Sink (Middle)	Drinking Water	04/09/2021 0431	04/13/2021 0858
420-194951-38	Room 116 (Art Room) -3 Bay Sink (Right)	Drinking Water	04/09/2021 0432	04/13/2021 0858
420-194951-39	Hallway by Room 117 - Bottle Filler	Drinking Water	04/09/2021 0433	04/13/2021 0858
420-194951-40	2nd Floor Teachers Lounge - Sink	Drinking Water	04/09/2021 0436	04/13/2021 0858
420-194951-41	Library (Hallway) - Bottle Filler	Drinking Water	04/09/2021 0436	04/13/2021 0858
420-194951-42	Mod #1 - Bathroom Sink	Drinking Water	04/09/2021 0442	04/13/2021 0858
420-194951-43	Mod #2 - Bathroom Sink	Drinking Water	04/09/2021 0443	04/13/2021 0858
420-194951-44	Mod #3 - Bathroom Sink	Drinking Water	04/09/2021 0444	04/13/2021 0858
420-194951-45	Mod #4 - Bathroom Sink	Drinking Water	04/09/2021 0445	04/13/2021 0858

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-194951-1
Sdg Number: Port Jervis CSD High School

Client Sample ID: **Stage - Slop Sink**
Lab Sample ID: **420-194951-1**

Date Sampled: 04/09/2021 0350
Date Received: 04/13/2021 0858
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	05/28/2021 1641	
Prep Method: 200.7/200.8			Date Prepared:	05/24/2021 1000	
Pb	22.1 g	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-194951-1
Sdg Number: Port Jervis CSD High School

Client Sample ID: Kitchen - Dishwashing Sprayer
Lab Sample ID: 420-194951-2

Date Sampled: 04/09/2021 0354
Date Received: 04/13/2021 0858
Client Matrix: Drinking Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4				Date Analyzed:	05/28/2021 1643	
Prep Method: 200.7/200.8				Date Prepared:	05/24/2021 1000	
Pb	21.4	g	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-194951-1
Sdg Number: Port Jervis CSD High School

Client Sample ID: Kitchen - Deep Sink by Coffee Station
Lab Sample ID: 420-194951-3

Date Sampled: 04/09/2021 0356
Date Received: 04/13/2021 0858
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	05/28/2021 1645	
Prep Method: 200.7/200.8			Date Prepared:	05/24/2021 1000	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-194951-1
Sdg Number: Port Jervis CSD High School

Client Sample ID: Kitchen - Kettle Filler
Lab Sample ID: 420-194951-4

Date Sampled: 04/09/2021 0357
Date Received: 04/13/2021 0858
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	05/28/2021 1647	
Prep Method: 200.7/200.8			Date Prepared:	05/24/2021 1000	
Pb	5.22	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-194951-1
Sdg Number: Port Jervis CSD High School

Client Sample ID: Kitchen - Pot Filler over Stove
Lab Sample ID: 420-194951-5

Date Sampled: 04/09/2021 0359
Date Received: 04/13/2021 0858
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	05/28/2021 1649	
Prep Method: 200.7/200.8			Date Prepared:	05/24/2021 1000	
Pb	1.56	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-194951-1
Sdg Number: Port Jervis CSD High School

Client Sample ID: Kitchen - 3 Bay Sink (Left)
Lab Sample ID: 420-194951-6

Date Sampled: 04/09/2021 0359
Date Received: 04/13/2021 0858
Client Matrix: Drinking Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4				Date Analyzed:	05/28/2021 1652	
Prep Method: 200.7/200.8				Date Prepared:	05/24/2021 1000	
Pb	1.00	U	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-194951-1
Sdg Number: Port Jervis CSD High School

Client Sample ID: Kitchen - 3 Bay Sink (Middle)
Lab Sample ID: 420-194951-7

Date Sampled: 04/09/2021 0400
Date Received: 04/13/2021 0858
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	05/28/2021 1654	
Prep Method: 200.7/200.8			Date Prepared:	05/24/2021 1000	
Pb	1.62	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-194951-1
Sdg Number: Port Jervis CSD High School

Client Sample ID: Kitchen - 3 Bay Sink (Right)
Lab Sample ID: 420-194951-8

Date Sampled: 04/09/2021 0401
Date Received: 04/13/2021 0858
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	05/28/2021 1707	
Prep Method: 200.7/200.8			Date Prepared:	05/24/2021 1000	
Pb	4.09	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-194951-1
Sdg Number: Port Jervis CSD High School

Client Sample ID: Kitchen - Deep Sink behind Serving line #2
Lab Sample ID: 420-194951-9

Date Sampled: 04/09/2021 0402
Date Received: 04/13/2021 0858
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	05/28/2021 1709	
Prep Method: 200.7/200.8			Date Prepared:	05/24/2021 1000	
Pb	1.59	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-194951-1
Sdg Number: Port Jervis CSD High School

Client Sample ID: Kitchen - Bathroom Sink
Lab Sample ID: 420-194951-10

Date Sampled: 04/09/2021 0403
Date Received: 04/13/2021 0858
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	05/28/2021 1711	
Prep Method: 200.7/200.8			Date Prepared:	05/24/2021 1000	
Pb	9.56	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-194951-1
Sdg Number: Port Jervis CSD High School

Client Sample ID: Copy/ Dining Room behind Kitchen - Sink
Lab Sample ID: 420-194951-11

Date Sampled: 04/09/2021 0403
Date Received: 04/13/2021 0858
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	05/28/2021 1713	
Prep Method: 200.7/200.8			Date Prepared:	05/24/2021 1000	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-194951-1
Sdg Number: Port Jervis CSD High School

Client Sample ID: Copy/ Dining Room behind Kitchen - Sprayer
Lab Sample ID: 420-194951-12

Date Sampled: 04/09/2021 0404
Date Received: 04/13/2021 0858
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	05/28/2021 1716	
Prep Method: 200.7/200.8			Date Prepared:	05/24/2021 1000	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-194951-1
Sdg Number: Port Jervis CSD High School

Client Sample ID: Guidance Hallway - Bottle Filler
Lab Sample ID: 420-194951-13

Date Sampled: 04/09/2021 0406
Date Received: 04/13/2021 0858
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	05/28/2021 1718	
Prep Method: 200.7/200.8			Date Prepared:	05/24/2021 1000	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-194951-1
Sdg Number: Port Jervis CSD High School

Client Sample ID: Guidance Hallway - Handicapped Bathroom -
Lab Sample ID: 420-194951-14

Date Sampled: 04/09/2021 0407
Date Received: 04/13/2021 0858
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	05/28/2021 1720	
Prep Method: 200.7/200.8			Date Prepared:	05/24/2021 1000	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-194951-1
Sdg Number: Port Jervis CSD High School

Client Sample ID: Main Office Bathroom Sink
Lab Sample ID: 420-194951-15

Date Sampled: 04/09/2021 0409
Date Received: 04/13/2021 0858
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	05/28/2021 1722	
Prep Method: 200.7/200.8			Date Prepared:	05/24/2021 1000	
Pb	2.53	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-194951-1
Sdg Number: Port Jervis CSD High School

Client Sample ID: Nurse's Office - Bathroom Sink
Lab Sample ID: 420-194951-16

Date Sampled: 04/09/2021 0410
Date Received: 04/13/2021 0858
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	05/28/2021 1729	
Prep Method: 200.7/200.8			Date Prepared:	05/24/2021 1000	
Pb	7.23	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-194951-1
Sdg Number: Port Jervis CSD High School

Client Sample ID: Nurse's Office - Sink
Lab Sample ID: 420-194951-17

Date Sampled: 04/09/2021 0411
Date Received: 04/13/2021 0858
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	05/28/2021 1731	
Prep Method: 200.7/200.8			Date Prepared:	05/24/2021 1000	
Pb	8.82	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-194951-1
Sdg Number: Port Jervis CSD High School

Client Sample ID: Nurse's Office - Sprayer
Lab Sample ID: 420-194951-18

Date Sampled: 04/09/2021 0411
Date Received: 04/13/2021 0858
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	05/28/2021 1735	
Prep Method: 200.7/200.8			Date Prepared:	05/24/2021 1000	
Pb	3.81	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-194951-1
Sdg Number: Port Jervis CSD High School

Client Sample ID: Nurse's Office - Sink (rear exam room)
Lab Sample ID: 420-194951-19

Date Sampled: 04/09/2021 0412
Date Received: 04/13/2021 0858
Client Matrix: Drinking Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	05/28/2021	1737	
Prep Method: 200.7/200.8			Date Prepared:	05/24/2021	1000	
Pb	214	g	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-194951-1
Sdg Number: Port Jervis CSD High School

Client Sample ID: Girls Locker Room - Bottle Filler
Lab Sample ID: 420-194951-20

Date Sampled: 04/09/2021 0413
Date Received: 04/13/2021 0858
Client Matrix: Drinking Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4				Date Analyzed:	05/28/2021 1740	
Prep Method: 200.7/200.8				Date Prepared:	05/24/2021 1000	
Pb	1.00	U	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-194951-1
Sdg Number: Port Jervis CSD High School

Client Sample ID: Boys Locker Room - Bottle Filler
Lab Sample ID: 420-194951-21

Date Sampled: 04/09/2021 0415
Date Received: 04/13/2021 0858
Client Matrix: Drinking Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4				Date Analyzed:	05/28/2021 1742	
Prep Method: 200.7/200.8				Date Prepared:	05/24/2021 1000	
Pb	1.00	U	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-194951-1
Sdg Number: Port Jervis CSD High School

Client Sample ID: Ice Machine - Spigot
Lab Sample ID: 420-194951-22

Date Sampled: 04/09/2021 0416
Date Received: 04/13/2021 0858
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	05/28/2021 1744	
Prep Method: 200.7/200.8			Date Prepared:	05/24/2021 1000	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-194951-1
Sdg Number: Port Jervis CSD High School

Client Sample ID: Ice Machine - (Left)
Lab Sample ID: 420-194951-23

Date Sampled: 04/09/2021 0417
Date Received: 04/13/2021 0858
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	05/28/2021 1746	
Prep Method: 200.7/200.8			Date Prepared:	05/24/2021 1000	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-194951-1
Sdg Number: Port Jervis CSD High School

Client Sample ID: Trainer's Office - Sink
Lab Sample ID: 420-194951-24

Date Sampled: 04/09/2021 0420
Date Received: 04/13/2021 0858
Client Matrix: Drinking Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4				Date Analyzed:	05/28/2021 1748	
Prep Method: 200.7/200.8				Date Prepared:	05/24/2021 1000	
Pb	1.00	U	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-194951-1
Sdg Number: Port Jervis CSD High School

Client Sample ID: Room 102 Wood Shop Sink
Lab Sample ID: 420-194951-25

Date Sampled: 04/09/2021 0421
Date Received: 04/13/2021 0858
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	05/28/2021 1755	
Prep Method: 200.7/200.8			Date Prepared:	05/24/2021 1000	
Pb	6.52	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-194951-1
Sdg Number: Port Jervis CSD High School

Client Sample ID: Hallway across from Room 103 - Bottle Filler
Lab Sample ID: 420-194951-26

Date Sampled: 04/09/2021 0422
Date Received: 04/13/2021 0858
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	05/28/2021 1757	
Prep Method: 200.7/200.8			Date Prepared:	05/24/2021 1000	
Pb	1.83	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-194951-1
Sdg Number: Port Jervis CSD High School

Client Sample ID: 1st Floor Faculty Lounge Bathroom - Sink
Lab Sample ID: 420-194951-27

Date Sampled: 04/09/2021 0423
Date Received: 04/13/2021 0858
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	05/28/2021 1759	
Prep Method: 200.7/200.8			Date Prepared:	05/24/2021 1000	
Pb	17.3 g	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-194951-1
Sdg Number: Port Jervis CSD High School

Client Sample ID: Room 103 - Kitchen Sink #1
Lab Sample ID: 420-194951-28

Date Sampled: 04/09/2021 0424
Date Received: 04/13/2021 0858
Client Matrix: Drinking Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4				Date Analyzed:	05/28/2021 1808	
Prep Method: 200.7/200.8				Date Prepared:	05/24/2021 1000	
Pb	1.00	U	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-194951-1
Sdg Number: Port Jervis CSD High School

Client Sample ID: Room 103 - Kitchen Sink #2
Lab Sample ID: 420-194951-29

Date Sampled: 04/09/2021 0425
Date Received: 04/13/2021 0858
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	05/28/2021 1810	
Prep Method: 200.7/200.8			Date Prepared:	05/24/2021 1000	
Pb	3.47	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-194951-1
Sdg Number: Port Jervis CSD High School

Client Sample ID: Room 103 - Kitchen Sink #3
Lab Sample ID: 420-194951-30

Date Sampled: 04/09/2021 0425
Date Received: 04/13/2021 0858
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	05/28/2021 1812	
Prep Method: 200.7/200.8			Date Prepared:	05/24/2021 1000	
Pb	2.76	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-194951-1
Sdg Number: Port Jervis CSD High School

Client Sample ID: Room 103 - Kitchen Sink #4
Lab Sample ID: 420-194951-31

Date Sampled: 04/09/2021 0426
Date Received: 04/13/2021 0858
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	05/28/2021 1815	
Prep Method: 200.7/200.8			Date Prepared:	05/24/2021 1000	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-194951-1
Sdg Number: Port Jervis CSD High School

Client Sample ID: Room 104 - Sink
Lab Sample ID: 420-194951-32

Date Sampled: 04/09/2021 0427
Date Received: 04/13/2021 0858
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	05/28/2021 1821	
Prep Method: 200.7/200.8			Date Prepared:	05/24/2021 1000	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-194951-1
Sdg Number: Port Jervis CSD High School

Client Sample ID: Room 115 (Art Room) -3 Bay Sink (Left)
Lab Sample ID: 420-194951-33

Date Sampled: 04/09/2021 0429
Date Received: 04/13/2021 0858
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	05/28/2021 1823	
Prep Method: 200.7/200.8			Date Prepared:	05/24/2021 1000	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-194951-1
Sdg Number: Port Jervis CSD High School

Client Sample ID: Room 115 (Art Room) -3 Bay Sink (Middle)
Lab Sample ID: 420-194951-34

Date Sampled: 04/09/2021 0429
Date Received: 04/13/2021 0858
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	05/28/2021 1826	
Prep Method: 200.7/200.8			Date Prepared:	05/24/2021 1000	
Pb	2.43	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-194951-1
Sdg Number: Port Jervis CSD High School

Client Sample ID: Room 115 (Art Room) -3 Bay Sink (Right)
Lab Sample ID: 420-194951-35

Date Sampled: 04/09/2021 0430
Date Received: 04/13/2021 0858
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	05/28/2021 1828	
Prep Method: 200.7/200.8			Date Prepared:	05/24/2021 1000	
Pb	11.9	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-194951-1
Sdg Number: Port Jervis CSD High School

Client Sample ID: Room 116 (Art Room) -3 Bay Sink (Left)
Lab Sample ID: 420-194951-36

Date Sampled: 04/09/2021 0431
Date Received: 04/13/2021 0858
Client Matrix: Drinking Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4				Date Analyzed:	05/28/2021 1830	
Prep Method: 200.7/200.8				Date Prepared:	05/24/2021 1000	
Pb	1.00	U	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-194951-1
Sdg Number: Port Jervis CSD High School

Client Sample ID: Room 116 (Art Room) -3 Bay Sink (Middle)
Lab Sample ID: 420-194951-37

Date Sampled: 04/09/2021 0431
Date Received: 04/13/2021 0858
Client Matrix: Drinking Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4				Date Analyzed:	05/28/2021 1839	
Prep Method: 200.7/200.8				Date Prepared:	05/24/2021 1000	
Pb	1.00	U	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-194951-1
Sdg Number: Port Jervis CSD High School

Client Sample ID: Room 116 (Art Room) -3 Bay Sink (Right)
Lab Sample ID: 420-194951-38

Date Sampled: 04/09/2021 0432
Date Received: 04/13/2021 0858
Client Matrix: Drinking Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4				Date Analyzed:	05/28/2021 1841	
Prep Method: 200.7/200.8				Date Prepared:	05/24/2021 1000	
Pb	1.00	U	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-194951-1
Sdg Number: Port Jervis CSD High School

Client Sample ID: Hallway by Room 117 - Bottle Filler
Lab Sample ID: 420-194951-39

Date Sampled: 04/09/2021 0433
Date Received: 04/13/2021 0858
Client Matrix: Drinking Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4				Date Analyzed:	05/28/2021 1847	
Prep Method: 200.7/200.8				Date Prepared:	05/24/2021 1000	
Pb	1.00	U	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-194951-1
Sdg Number: Port Jervis CSD High School

Client Sample ID: 2nd Floor Teachers Lounge - Sink
Lab Sample ID: 420-194951-40

Date Sampled: 04/09/2021 0436
Date Received: 04/13/2021 0858
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	05/28/2021 1850	
Prep Method: 200.7/200.8			Date Prepared:	05/24/2021 1000	
Pb	38.3 g	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-194951-1
Sdg Number: Port Jervis CSD High School

Client Sample ID: Library (Hallway) - Bottle Filler
Lab Sample ID: 420-194951-41

Date Sampled: 04/09/2021 0436
Date Received: 04/13/2021 0858
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	05/28/2021 1852	
Prep Method: 200.7/200.8			Date Prepared:	05/24/2021 1000	
Pb	2.49	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-194951-1
Sdg Number: Port Jervis CSD High School

Client Sample ID: Mod #1 - Bathroom Sink
Lab Sample ID: 420-194951-42

Date Sampled: 04/09/2021 0442
Date Received: 04/13/2021 0858
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	05/28/2021 1854	
Prep Method: 200.7/200.8			Date Prepared:	05/24/2021 1000	
Pb	1.21	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-194951-1
Sdg Number: Port Jervis CSD High School

Client Sample ID: Mod #2 - Bathroom Sink
Lab Sample ID: 420-194951-43

Date Sampled: 04/09/2021 0443
Date Received: 04/13/2021 0858
Client Matrix: Drinking Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4				Date Analyzed:	05/28/2021 1856	
Prep Method: 200.7/200.8				Date Prepared:	05/24/2021 1000	
Pb	1.00	U	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-194951-1
Sdg Number: Port Jervis CSD High School

Client Sample ID: Mod #3 - Bathroom Sink
Lab Sample ID: 420-194951-44

Date Sampled: 04/09/2021 0444
Date Received: 04/13/2021 0858
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	05/28/2021 1858	
Prep Method: 200.7/200.8			Date Prepared:	05/24/2021 1000	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-194951-1
Sdg Number: Port Jervis CSD High School

Client Sample ID: Mod #4 - Bathroom Sink
Lab Sample ID: 420-194951-45

Date Sampled: 04/09/2021 0445
Date Received: 04/13/2021 0858
Client Matrix: Drinking Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4				Date Analyzed:	05/28/2021 1901	
Prep Method: 200.7/200.8				Date Prepared:	05/24/2021 1000	
Pb	1.00	U	ug/L	1.00	1.00	1.0

DATA REPORTING QUALIFIERS

Client: Orange-Ulster BOCES

Job Number:

Sdg Number: Port Jervis CSD High School

Lab Section	Qualifier	Description
Metals		
	g	Result fails applicable NYS drinking water standards
	U	The analyte was analyzed for but not detected at or above the lowest stated limit.

Certification Information

Client: Orange-Ulster BOCES

Job Number:

Sdg Number: Port Jervis CSD High School

The following analytes are Not Part of the ELAP scope of accreditation:

Sulfur, Tungsten, Bicarbonate Alkalinity, 7 Day BOD 5210C, 28 Day BOD, Soluble BOD, Carbon Dioxide, Carbonate Alkalinity, CBOD Soluble, Chlorine, Cyanide (WAD), Ferrous Iron, Ferric Iron, Total Nitrogen, Total Organic Nitrogen, Dissolved Oxygen, pH, Solids (Fixed), Solids (Percent), Solids (Percent Moisture), Solids (Percent Volatile), Solids (Volatile Suspended), Temperature, TKN (Soluble), COD (Soluble), Total Inorganic Carbon, 2-Aminopyridine, 3-Picoline, 1-Methyl-2-pyrrilidinone, Aziridine, Dimethyl sulfoxide, 1-Chlorohexane, 1,2,4,5-Tetramethylbenzene, 4-Ethyl toluene, p-Diethylbenzene, Iron Bacteria, Salmonella, Sulfur Reducing Bacteria, & UOD (Ultimate Oxygen Demand).

The following analytes are Not Part of ELAP Potable Water scope of accreditation:

Ammonia (SM 4500NH3G), Biochemical Oxygen Demand (SM 5210B), Chemical Oxygen Demand (EPA 410.4), Dissolved Oxygen (SM 4500 O C), TKN (351.2), Phosphorus (365.3), Nitrate-Nitrite (353.2), Setttable Solids (SM 2540F), Total Suspended Solids (SM 2540 C), m-Xylene & p-Xylene (502.2, 524), o-Xylene (502.2, 524), Sulfide (SM4500SD), Acenaphthene (525.2), Acenaphthylene (525.2), Fluoranthene (525.2), Fluorene (525.2), Phenanthrene (525.2), Anthracene (525.2), Pyrene (525.2), Benzo[a]anthracene (525.2), Benzo[b]fluoranthene (525.2), Benzo[g,h,i]perylene (525.2), Benzo[k]fluoranthene (525.2), Indeno[1,2,3-cd]pyrene (525.2), & Dibenz(a,h)anthracene (525.2). Pyridine

The following analytes are Not Part of ELAP Solid and Hazardous Waste scope of accreditation:

Ammonia (SM 4500NH3G), TKN (351.2), Phosphorus (365.3), 1,2-Dichloro-1,1,2-trifluoroethane (8260), & Chlorodifluoromethane (8260).

The following analytes are Not Part of ELAP Non Potable Water scope of accreditation:

Dissolved Organic Carbon (5310C), Mecoprop (8151A), MCPA (8151A).

Definitions and Glossary

Client: Orange-Ulster BOCES

Job Number:

Sdg Number: Port Jervis CSD High School


Abbreviation	These commonly used abbreviations may or may not be present in this report.
%R	Percent Recovery
DL, RA, RE	Indicates a Dilution, Reanalysis or Reextraction.
EPA	United States Environmental Protection Agency
MDL	Method Detection Limit - an estimate of the minimum amount of a substance that an analytical process can reliably detect. A MDL is analyte- and matrix-specific and may be laboratory-dependent.
ND	Not detected at the reporting limit (or MDL if shown).
QC	Quality Control
RL	Reporting Limit - the minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.
RPD	Relative Percent Difference - a measure of the relative difference between two points.

EnviroTest Laboratories, LLC

315 Fullerton Avenue
Newburgh, NY 12550
Phone (845) 562-0890 Fax (845) 562-0841

Chain of Custody Record

EnviroTest
Laboratories

Client Information Client Contact: Joseph Russo		Sampler: M. Doherty <i>Maureen Doherty</i> Phone: 845-781-4887		Lab PM: E-Mail: joseph.russo@ouboces.org Halina.redner@ouboces.org Maureen.doherty@ouboces.org		Deliverable Type: Level I, Level II, NYS ASP Cat B EDD (Specify):		JOB #: <div style="font-size: 2em; font-family: cursive;">194951</div> <div style="font-size: 1.5em; font-family: cursive;">1053</div>					
Company: Orange-Ulster BOCES Address: 53 Gibson Road City: Goshen State, Zip: NY, 10924 Phone: 845-781-4887 Email: joseph.russo@ouboces.org Halina.redner@ouboces.org Maureen.doherty@ouboces.org				Due Date Requested: Standard Turn-Around TAT Requested (days): PO #: PWS #: Project #: Additional Contacts:				<div style="text-align: center;"> Analysis Requested  420-194951-B-1 Stage - Slop Sink Date Sampled: 4/9/2021 420-1664621 </div>				Page: Page 1 of 1 Preservation Codes: A - HCL L - EDA B - NaOH M - Sodium Sulfite C - Zn Acetate N - None D - Nitric Acid O - MCAA E - H2SO4 P - Other (specify) F - MeOH G - NH4CL H - Ascorbic Acid I - Ice J - DI Water K - Sodium Thiosulfate Other: D-Nitric Acid Upon Receipt Preservation verified: Y / N	
Sample Date	Sample Time	Sample Identification Client ID (Lab ID)	Sample Type (C=comp, G=grab)	Matrix (DW= drinking water, W=water, S=solid, O=waste/oil)	Field Filtered Sample (Yes or No)	Perform MS/MSD (Y/N)	Chlorine Present (Y/N)	Lead	Total Number of Containers	Special Instructions/Note:			
		Stage - Slop Sink	G	DW				1	1				
4/9/21	3:50	Stage - Slop Sink	G	DW				1	1				
4/9/21	3:54	Kitchen - Dishwashing Sprayer	G	DW				1	1				
4/9/21	3:56	Kitchen - Deep Sink by Coffee Station	G	DW				1	1				
4/9/21	3:57	Kitchen - Kettle Filler	G	DW				1	1				
4/9/21	3:59	Kitchen - Pot Filler over Stove	G	DW				1	1				
4/9/21	3:59	Kitchen - 3 Bay Sink (left)	G	DW				1	1				
4/9/21	4:00	Kitchen - 3 Bay Sink (Middle)	G	DW				1	1				
4/9/21	4:01	Kitchen - 3 Bay Sink (right)	G	DW				1	1				
4/9/21	4:02	Kitchen- Deep Sink behind Serving Line #2	G	DW				1	1				
4/9/21	4:03	Kitchen - Bathroom Sink	G	DW				1	1				
4/9/21	4:03	Copy/Dining Room behind Kitchen - sink	G	DW				1	1				
4/9/21	4:04	Copy/Dining Room behind Kitchen - Sprayer	G	DW				1	1				
4/9/21	4:06	Guidance Hallway - Bottle Filler	G	DW				1	1				
4/9/21	4:07	Guidance Hallway - Handicapped Bathroom - sink	G	DW				1	1				
4/9/21	4:09	Main Office Bathroom - sink	G	DW				1	1				
Container Code: P=Plastic, A=Amber, V=Vial, G=Glass, B=Bacteria, C=Cube, O=Other, T=Terracore, D=BOD Bottle Preservation Added Upon Receipt:					Manufacturer/Lot #: Date: Time: Sample # (s):					Container Type			
Relinquished by: <i>Maureen Doherty</i> Date/Time: <i>4/13/21; 0858</i> Company: OUBOCES					Received by: <i>CL</i> Date/Time: <i>4/13/21 858</i> Company: <i>ETL</i>								
Relinquished by: Date/Time: Company:					Received by: Date/Time: Company:								
Relinquished by: Date/Time: Company:					Received by: Date/Time: Company:								
ICE Present: <i>no</i> Custody Seal No.:					Custody Seals Intact: <i>Δ</i> Cooler Temperature(s) °C/IR GUN #: <i>18.5 °C</i>								

EnviroTest 
Laboratories

Client Information Client Contact: Joseph Russo		Sampler: M. Doherty Phone: 845-781-4887		Lab MP: E-Mail: joseph.russo@ouboces.org Halina.redner@ouboces.org Maureen.doherty@ouboces.org		Deliverable Type: Level I, Level II, NYS ASP Cat B EDD (Specify):		JOB #: 194951 2 of 3			
Company: Orange-Ulster BOCES Address: 53 Gibson Road City: Goshen State, Zip: NY, 10924 Phone: 845-781-4887 Email: joseph.russo@ouboces.org Maureen.doherty@ouboces.org				Due Date Requested: Standard Turn-Around TAT Requested (days): PO #: PWS #: Project #: Additional Contacts:		Analysis Requested				Page: Page 1 of 1 Preservation Codes: A - HCL B - NaOH C - Zn Acetate D - Nitric Acid E - H2SO4 F - MeOH G - NH4CL H - Ascorbic Acid I - Ice J - DI Water K - Sodium Thiosulfate L - EDA M - Sodium Sulfite N - None O - MCAA P - Other (specify) Other: D-Nitric Acid Upon Receipt Preservation verified Y / N	
Sample Identification Client ID (Lab ID)				Sample Type (C=comp, G=grab) Matrix (DW= drinking water, W=water, S=solid, O=waste/oil,		Field Filtered Sample (Yes or No) Perform MS/MSD (Yes or No) Chlorine Present (Yes or No) Lead		Total Number of Containers		Special Instructions/Note:	
Nurse's Office – Bathroom sink				G DW		1		1			
Nurse's Office - Sink				G DW		1		1			
Nurse's Office - Sprayer				G DW		1		1			
Nurse's Office – sink (rear exam room)				G DW		1		1			
Girls Locker Room – Bottle Filler				G DW		1		1			
Boy's Locker Room – Bottle Filler				G DW		1		1			
Ice Machine - Spigot				G DW		1		1			
Ice Machine – (Left)				G DW		1		1			
Trainer's Office - Sink				G DW		1		1			
Room 102 – Wood Shop Sink				G DW		1		1			
Hallway across from Room 103 – Bottle Filler				G DW		1		1			
1st Floor Faculty Lounge Bathroom - Sink				G DW		1		1			
Room 103 – Kitchen Sink #1				G DW		1		1			
Room 103 – Kitchen Sink #2				G DW		1		1			
Room 103 – Kitchen Sink #3				G DW		1		1			
Container Code: P=Plastic, A=Amber, V=Vial, G=Glass, B=Bacteria, C=Cube, O=Other, T=Terracore, D=BOD Bottle				P						Container Type	
Preservation Added Upon Receipt:				Manufacturer/lot #:		Date:		Time:		Sample # (s):	
Relinquished by: Maureen Doherty				Date/Time: 4/13/21, 0858		Company: OUBOCES		Received by: C C		Date/Time: 4/13/21 858	
Relinquished by:				Date/Time:		Company:		Received by:		Date/Time:	
Relinquished by:				Date/Time:		Company:		Received by:		Date/Time:	
ICE Present: n				Custody Seal No.:		Custody Seals Intact: Δ		Cooler Temperature(s) °C/IR GUN #: 18.5°C			

EnviroTest Laboratories

Company: Orange-Ulster BOCES			Page: Page 1 of 1												
Address: 53 Gibson Road		Due Date Requested: Standard Turn-Around		Analysis Requested											
City: Goshen		TAT Requested (days):													
State, Zip: NY, 10924		PO #:													
Phone: 845-781-4887															
Email: joseph.russo@ouboces.org Halina.redner@ouboces.org		PWS #:													
Maureen.doherty@ouboces.org															
Project Name: Port Jervis CSD		Project #:													
Site: High School		Additional Contacts:													
				<div style="display: flex; justify-content: space-between;"> <div> <div>sample (Yes or No)</div> <div>SD (Yes or No)</div> <div>ent (Yes or No)</div> </div> <div> <div>of containers</div> </div> </div>											
				<div> <div>Preservation Codes:</div> <div> <div>A - HCL</div> <div>L - EDA</div> <div>B - NaOH</div> <div>M - Sodium Sulfite</div> <div>C - Zn Acetate</div> <div>N - None</div> <div>D - Nitric Acid</div> <div>O - MCAA</div> <div>E - H2SO4</div> <div>P - Other (specify)</div> <div>F - MeOH</div> <div>G - NH4CL</div> <div>H - Ascorbic Acid</div> <div>I - Ice</div> <div>J - DI Water</div> <div>K - Sodium</div> <div>Thiosulfate</div> </div> </div> <div> <div>Other:</div> <div>D-Nitric Acid</div> </div>											

Container Code: P=Plastic, A=Amber, V=Vial, G=Glass, B=Bacteria, C=Cube, O=Other, T=Terracore, D=BOD Bottle										P																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
---	--	--	--	--	--	--	--	--	--	---	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

LOGIN SAMPLE RECEIPT CHECK LIST

Client: Orange-Ulster BOCES

Job Number: 420-194951-1

SDG Number: Port Jervis CSD High School

Login Number: 194951

Question	T/F/NA	Comment
Samples were collected by ETL employee as per SOP-SAM-1	NA	
The cooler's custody seal, if present, is intact.	NA	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	False	
Cooler Temperature is recorded.	True	18.5 C
Cooler Temp. is within method specified range.(0-6 C PW, 0-8 C NPW, or BAC <10 C	False	
If false, was sample received on ice within 6 hours of collection.	False	
Based on above criteria cooler temperature is acceptable.	True	Method does not require cooling
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
There are no discrepancies between the sample IDs on the containers and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.	NA	
If necessary, staff have been informed of any short hold time or quick TAT needs	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	