

ANALYTICAL REPORT

Job Number: 420-194882-1

SDG Number: Port Jervis CSD Middle School

Job Description: Orange-Ulster BOCES

For:

Orange-Ulster BOCES 53 Gibson Road Goshen, NY 10924

Attention: Jack DeGraw

Designee for

Meredith W Ruthven

Customer Service Manager

mruthven@envirotestlaboratories.com

05/24/2021

NYSDOH ELAP does not certify for all parameters. EnviroTest Laboratories does hold certification for all analytes where certification is offered by ELAP unless otherwise specified in the Certification Information section of this report Pursuant to NELAP, this report may not be reproduced, except in full, without written approval of the laboratory. EnviroTest Laboratories LLC certifies that the analytical results contained herein apply only to the samples tested as received by our laboratory. All questions regarding this report should be directed to the EnviroTest Customer Service Representative. All services performed by EnviroTest Laboratories LLC are subject to our Terms and Conditions available at Envirotestlabs/terms.com. As of 12/23/19, EnviroTest Laboratories LLC acquired substantially all of the lab and testing assets of EnviroTest Laboratories Inc, including its name.

EnviroTest Laboratories, LLC. Certifications and Approvals: NYSDOH 10142, NJDEP NY015, CTDOPH PH-0554



METHOD SUMMARY

Client: Orange-Ulster BOCES Job Number: 420-194882-1

SDG Number: Port Jervis CSD Middle School

Description	Lab Location	Method	Preparation Method
Matrix: Water			
ICPMS Metals by 200.8	EnvTest	EPA 200.8 Rev	.5.4
200 Series Drinking Water Prep Determination Step	EnvTest		EPA 200.7/200.8

Lab References:

EnvTest = EnviroTest

Method References:

EPA = US Environmental Protection Agency

METHOD / ANALYST SUMMARY

Client: Orange-Ulster BOCES Job Number: 420-194882-1

SDG Number: Port Jervis CSD Middle School

Method	Analyst	Analyst ID	
EPA 200.8 Rev.5.4	Luis, Carlos	CL	

SAMPLE SUMMARY

Client: Orange-Ulster BOCES Job Number: 420-194882-1

SDG Number: Port Jervis CSD Middle School

			Date/Time	Date/Time
Lab Sample ID	Client Sample ID	Client Matrix	Sampled	Received
420-194882-1	Ice Machine	Drinking Water	04/07/2021 0450	04/09/2021 1017
420-194882-2	1st Floor - Slop Sink	Drinking Water	04/07/2021 0450	04/09/2021 1017
420-194882-3	Room 108 - sink	Drinking Water	04/07/2021 0453	04/09/2021 1017
420-194882-4	Room 107 - sink	Drinking Water	04/07/2021 0454	04/09/2021 1017
420-194882-5	Room 103 - sink	Drinking Water	04/07/2021 0455	04/09/2021 1017
420-194882-6	Room 104 - sink	Drinking Water	04/07/2021 0456	04/09/2021 1017
420-194882-7	Boy's locker room - Coaches office sink	Drinking Water	04/07/2021 0458	04/09/2021 1017
420-194882-8	Boy's locker room - Bathroom sink - left	Drinking Water	04/07/2021 0458	04/09/2021 1017
420-194882-9	Boy's locker room - Bathroom sink - right	Drinking Water	04/07/2021 0459	04/09/2021 1017
420-194882-10	Girl's locker room - Bathroom sink - left	Drinking Water	04/07/2021 0501	04/09/2021 1017
420-194882-11	2nd Floor - Girl's Bathroom - sink by itself	Drinking Water	04/07/2021 0505	04/09/2021 1017
420-194882-12	Principal - Bathroom sink	Drinking Water	04/07/2021 0508	04/09/2021 1017
420-194882-13	Nurse's Office - Bathroom sink	Drinking Water	04/07/2021 0509	04/09/2021 1017
420-194882-14	Nurse's Office - sink	Drinking Water	04/07/2021 0510	04/09/2021 1017
420-194882-15	2nd floor - Boy's Bathroom - sink by itself	Drinking Water	04/07/2021 0511	04/09/2021 1017
420-194882-16	3rd floor - Women's Faculty Bathroom - sink	Drinking Water	04/07/2021 0513	04/09/2021 1017
420-194882-17	Teachers room sink	Drinking Water	04/07/2021 0514	04/09/2021 1017
420-194882-18	Teachers room - Sprayer	Drinking Water	04/07/2021 0515	04/09/2021 1017
420-194882-19	3rd floor - Men's faculty bathroom - sink	Drinking Water	04/07/2021 0517	04/09/2021 1017
420-194882-20	Library - Sink	Drinking Water	04/07/2021 0519	04/09/2021 1017
420-194882-21	Room 311 - Kitchen #1 sink	Drinking Water	04/07/2021 0521	04/09/2021 1017
420-194882-22	Room 311 - Kitchen #2 sink	Drinking Water	04/07/2021 0521	04/09/2021 1017
420-194882-23	Room 311 - Kitchen #3 sink	Drinking Water	04/07/2021 0522	04/09/2021 1017
420-194882-24	Room 311 - Kitchen #4 sink	Drinking Water	04/07/2021 0522	04/09/2021 1017
420-194882-25	Kitchen - Dishwasher sprayer	Drinking Water	04/07/2021 0524	04/09/2021 1017
420-194882-26	Kitchen - Slop sink	Drinking Water	04/07/2021 0525	04/09/2021 1017
420-194882-27	Kitchen - Sink by ice cream machine	Drinking Water	04/07/2021 0526	04/09/2021 1017
420-194882-28	Kitchen - Kettle Filler	Drinking Water	04/07/2021 0527	04/09/2021 1017
420-194882-29	Kitchen - 3 Bay Sink - left	Drinking Water	04/07/2021 0527	04/09/2021 1017
420-194882-30	Kitchen - 3 Bay Sink - right	Drinking Water	04/07/2021 0528	04/09/2021 1017
420-194882-31	Kitchen - Hand washing sink	Drinking Water	04/07/2021 0528	04/09/2021 1017

Job Number: 420-194882-1 Sdg Number: Port Jervis CSD Middle School

Client Sample ID: Ice Machine Lab Sample ID: 420-194882-1

04/07/2021 0450 Date Sampled: Date Received: 04/09/2021 1017 Client Matrix: **Drinking Water**

Analyte	Result/Qualifi	er	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Ar	nalyzed:	05/21/2021 2107	
Prep Method: 200.7/200.8			Date Pr	epared:	05/18/2021 1400	
Pb	1.00	U	ug/L	1.00	1.00	1.0

 Client Sample ID:
 1st Floor - Slop Sink
 Date Sampled:
 04/07/2021
 0450

 Lab Sample ID:
 420-194882-2
 Date Received:
 04/09/2021
 1017

 Client Matrix:
 Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4		Date An	alyzed:	05/21/2021 2109	
Prep Method: 200.7/200.8		Date Pro	epared:	05/18/2021 1400	
Pb	1.65	ua/L	1.00	1.00	1.0

Job Number: 420-194882-1

Sdg Number: Port Jervis CSD Middle School

Job Number: 420-194882-1 Sdg Number: Port Jervis CSD Middle School

Client Sample ID: Room 108 - sink Lab Sample ID: 420-194882-3

04/07/2021 0453 Date Sampled: Date Received: 04/09/2021 1017 Client Matrix: **Drinking Water**

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4		Date Ar	nalyzed:	05/21/2021 2111	
Prep Method: 200.7/200.8		Date Pr	epared:	05/18/2021 1400	
Pb	3.77	ug/L	1.00	1.00	1.0

Job Number: 420-194882-1 Sdg Number: Port Jervis CSD Middle School

Client Sample ID: Room 107 - sink Lab Sample ID: 420-194882-4

04/07/2021 0454 Date Sampled: Date Received: 04/09/2021 1017 Client Matrix: **Drinking Water**

Analyte	Result/Qual	ifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Ar	nalyzed:	05/21/2021 2120	
Prep Method: 200.7/200.8			Date Pr	epared:	05/18/2021 1400	
Pb	93.6	g	ug/L	1.00	1.00	1.0

Job Number: 420-194882-1 Sdg Number: Port Jervis CSD Middle School

Client Sample ID: Room 103 - sink Lab Sample ID: 420-194882-5

04/07/2021 0455 Date Sampled: Date Received: 04/09/2021 1017 Client Matrix: **Drinking Water**

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4		Date An	nalyzed:	05/21/2021 2122	
Prep Method: 200.7/200.8		Date Pr	epared:	05/18/2021 1400	
Pb	2.99	ug/L	1.00	1.00	1.0

Job Number: 420-194882-1 Sdg Number: Port Jervis CSD Middle School

Client Sample ID: Room 104 - sink Lab Sample ID: 420-194882-6

04/07/2021 0456 Date Sampled: Date Received: 04/09/2021 1017 Client Matrix: Drinking Water

Analyte	Result/Qualif	ier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Ar	nalyzed:	05/21/2021 2124	
Prep Method: 200.7/200.8		Date Prepared:				
Pb	1.00	U	ug/L	1.00	1.00	1.0

Job Number: 420-194882-1 Sdg Number: Port Jervis CSD Middle School

Client Sample ID: Boy's locker room - Coaches office sink

Lab Sample ID: 420-194882-7

04/07/2021 0458 Date Sampled: Date Received: 04/09/2021 1017 Client Matrix: Drinking Water

Analyte	Result/Qualifier	•	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date An	alyzed:	05/21/2021 2126	
Prep Method: 200.7/200.8			Date Pre	epared:	05/18/2021 1400	
Pb	317	g	ug/L	1.00	1.00	1.0

w Job Number: 420-194882-1 ser BOCES Sdg Number: Port Jervis CSD Middle School

Client Sample ID: Boy's locker room - Bathroom sink - left

Lab Sample ID: 420-194882-8

Date Sampled: 04/07/2021 0458
Date Received: 04/09/2021 1017
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4		Date A	nalyzed: 0	5/21/2021 2133	
Prep Method: 200.7/200.8		Date P	repared: 0:	5/18/2021 1400	
Pb	22.1 g	ug/L	1.00	1.00	1.0

Job Number: 420-194882-1 Sdg Number: Port Jervis CSD Middle School

Client Sample ID: Boy's locker room - Bathroom sink - right

Lab Sample ID: 420-194882-9

04/07/2021 0459 Date Sampled: Date Received: 04/09/2021 1017 Client Matrix: Drinking Water

Analyte	Result/Qualifi	er	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Ar	nalyzed:	05/21/2021 2135	
Prep Method: 200.7/200.8			Date Pr	epared:	05/18/2021 1400	
Pb	1.00	U	ug/L	1.00	1.00	1.0

Job Number: 420-194882-1 Sdg Number: Port Jervis CSD Middle School

Client Sample ID: Girl's locker room - Bathroom sink - left

Lab Sample ID: 420-194882-10

04/07/2021 0501 Date Sampled: Date Received: 04/09/2021 1017 Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4		Date An	alyzed:	05/21/2021 2137	
Prep Method: 200.7/200.8		Date Pre	epared:	05/18/2021 1400	
Pb	1.74	ug/L	1.00	1.00	1.0

Job Number: 420-194882-1
ES Sdg Number: Port Jervis CSD Middle School

Client Sample ID: 2nd Floor - Girl's Bathroom - sink by itself

Lab Sample ID: 420-194882-11

Date Sampled: 04/07/2021 0505
Date Received: 04/09/2021 1017
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4		Date Ar	nalyzed:	05/21/2021 2139	
Prep Method: 200.7/200.8		Date Pr	epared:	05/18/2021 1400	
Pb	3.65	ug/L	1.00	1.00	1.0

Job Number: 420-194882-1 Sdg Number: Port Jervis CSD Middle School

Client Sample ID: Principal - Bathroom sink

Date Sampled: 04/07/2021 0508 Date Received: 04/09/2021 1017 Lab Sample ID: 420-194882-12 Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4		Date An	alyzed:	05/21/2021 2142	
Prep Method: 200.7/200.8		Date Pro	epared:	05/18/2021 1400	
Pb	3.20	ua/L	1.00	1.00	1.0

Job Number: 420-194882-1 Sdg Number: Port Jervis CSD Middle School

Client Sample ID: Nurse's Office - Bathroom sink

Lab Sample ID: 420-194882-13

04/07/2021 0509 Date Sampled: Date Received: 04/09/2021 1017 Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4		Date An	nalyzed:	05/21/2021 2144	
Prep Method: 200.7/200.8		Date Pr	epared:	05/18/2021 1400	
Pb	2.56	ug/L	1.00	1.00	1.0

Job Number: 420-194882-1 Sdg Number: Port Jervis CSD Middle School

Client Sample ID: Nurse's Office - sink Lab Sample ID: 420-194882-14

04/07/2021 0510 Date Sampled: Date Received: 04/09/2021 1017 Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4		Date Ar	nalyzed:	05/21/2021 2148	
Prep Method: 200.7/200.8		Date Pr	epared:	05/18/2021 1400	
Pb	2.70	ug/L	1.00	1.00	1.0

Job Number: 420-194882-1 Sdg Number: Port Jervis CSD Middle School

Client Sample ID: 2nd floor - Boy's Bathroom - sink by itself

Lab Sample ID: 420-194882-15

Date Sampled: 04/07/2021 0511
Date Received: 04/09/2021 1017
Client Matrix: Drinking Water

Analyte	Result/Qualif	ier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Ar	nalyzed:	05/21/2021 2150	
Prep Method: 200.7/200.8			Date Pr	epared:	05/18/2021 1400	
Pb	1.00	U	ug/L	1.00	1.00	1.0

Job Number: 420-194882-1
e-Ulster BOCES Sdg Number: Port Jervis CSD Middle School

Client Sample ID: 3rd floor - Women's Faculty Bathroom - sink

Lab Sample ID: 420-194882-16

Date Sampled: 04/07/2021 0513
Date Received: 04/09/2021 1017
Client Matrix: Drinking Water

Analyte	Result/Quali	ifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date A	nalyzed: 0	5/21/2021 2153	
Prep Method: 200.7/200.8			Date P	repared: 0	5/18/2021 1400	
Pb	1.00	U	ug/L	1.00	1.00	1.0

Job Number: 420-194882-1 Sdg Number: Port Jervis CSD Middle School

Client Sample ID: Teachers room sink Lab Sample ID: 420-194882-17

04/07/2021 0514 Date Sampled: Date Received: 04/09/2021 1017 Client Matrix: Drinking Water

Analyte	Result/Qual	ifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date A	nalyzed:	05/21/2021 2159	
Prep Method: 200.7/200.8			Date Pr	repared:	05/18/2021 1400	
Pb	1.00	U	ug/L	1.00	1.00	1.0

Job Number: 420-194882-1 Sdg Number: Port Jervis CSD Middle School

Client Sample ID: Teachers room - Sprayer

Lab Sample ID: 420-194882-18

04/07/2021 0515 Date Sampled: Date Received: 04/09/2021 1017 Client Matrix: Drinking Water

Analyte	Result/Qual	ifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date A	nalyzed:	05/21/2021 2201	
Prep Method: 200.7/200.8			Date Pr	epared:	05/18/2021 1400	
Pb	1.00	U	ug/L	1.00	1.00	1.0

Job Number: 420-194882-1 Sdg Number: Port Jervis CSD Middle School

Client Sample ID: 3rd floor - Men's faculty bathroom - sink

Lab Sample ID: 420-194882-19

04/07/2021 0517 Date Sampled: Date Received: 04/09/2021 1017 Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4		Date An	alyzed:	05/21/2021 2204	
Prep Method: 200.7/200.8		Date Pre	epared:	05/18/2021 1400	
Pb	2.38	ug/L	1.00	1.00	1.0

Job Number: 420-194882-1 Sdg Number: Port Jervis CSD Middle School

Client Sample ID: Library - Sink Lab Sample ID: 420-194882-20

04/07/2021 0519 Date Sampled: Date Received: 04/09/2021 1017 Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4		Date An	alyzed:	05/21/2021 2206	
Prep Method: 200.7/200.8		Date Pre	epared:	05/18/2021 1400	
Pb	2.32	ug/L	1.00	1.00	1.0

Job Number: 420-194882-1 Sdg Number: Port Jervis CSD Middle School

Client Sample ID: Room 311 - Kitchen #1 sink

Lab Sample ID: 420-194882-21

04/07/2021 0521 Date Sampled: Date Received: 04/09/2021 1017 Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4		Date An	nalvzed:	05/21/2021 2208	
Prep Method: 200.7/200.8		Date Pr	,	05/18/2021 1400	
Pb	1.96	ug/L	1.00	1.00	1.0

Job Number: 420-194882-1 Sdg Number: Port Jervis CSD Middle School

Client Sample ID: Room 311 - Kitchen #2 sink

04/07/2021 0521 Date Sampled: Date Received: 04/09/2021 1017 Lab Sample ID: 420-194882-22 Client Matrix: Drinking Water

Analyte	Result/Qualific	er	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Ar	nalvzed: 0	5/21/2021 2210	
Prep Method: 200.7/200.8			Date Pr	•	5/18/2021 1400	
Pb	1.00	U	ug/L	1.00	1.00	1.0

Job Number: 420-194882-1 Sdg Number: Port Jervis CSD Middle School

Client Sample ID: Room 311 - Kitchen #3 sink

Lab Sample ID: 420-194882-23

04/07/2021 0522 Date Sampled: Date Received: 04/09/2021 1017 Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4		Date Ar	nalyzed:	05/21/2021 2212	
Prep Method: 200.7/200.8		Date Pr	epared:	05/18/2021 1400	
Pb	7.81	ug/L	1.00	1.00	1.0

Job Number: 420-194882-1 Sdg Number: Port Jervis CSD Middle School

Client Sample ID: Room 311 - Kitchen #4 sink

Lab Sample ID: 420-194882-24

04/07/2021 0522 Date Sampled: Date Received: 04/09/2021 1017 Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4		Date An	nalvzed:	05/21/2021 2225	
Prep Method: 200.7/200.8		Date Pro	,	05/18/2021 1400	
Pb	3.49	ug/L	1.00	1.00	1.0

Job Number: 420-194882-1 Sdg Number: Port Jervis CSD Middle School

Client Sample ID: Kitchen - Dishwasher sprayer Date Sampled:

04/07/2021 0524 Date Received: 04/09/2021 1017 Lab Sample ID: 420-194882-25 Client Matrix: Drinking Water

Analyte	Result/Quali	fier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date A	nalyzed:	05/21/2021 2228	
Prep Method: 200.7/200.8			Date Pr	repared:	05/18/2021 1400	
Pb	22.2	g	ug/L	1.00	1.00	1.0

Job Number: 420-194882-1 Sdg Number: Port Jervis CSD Middle School

Client Sample ID: Kitchen - Slop sink Lab Sample ID: 420-194882-26

04/07/2021 0525 Date Sampled: Date Received: 04/09/2021 1017 Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4		Date An	alyzed:	05/21/2021 2230	
Prep Method: 200.7/200.8		Date Pre	epared:	05/18/2021 1400	
Pb	2.58	ug/L	1.00	1.00	1.0

Job Number: 420-194882-1 Sdg Number: Port Jervis CSD Middle School

Client Sample ID: Kitchen - Sink by ice cream machine

Lab Sample ID: 420-194882-27

04/07/2021 0526 Date Sampled: Date Received: 04/09/2021 1017 Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4		Date An	nalyzed:	05/21/2021 2232	
Prep Method: 200.7/200.8		Date Pr	epared:	05/18/2021 1400	
Pb	1.42	ug/L	1.00	1.00	1.0

Job Number: 420-194882-1 Sdg Number: Port Jervis CSD Middle School

Client Sample ID: Kitchen - Kettle Filler

Lab Sample ID: 420-194882-28

Date Sampled: 04/07/2021 0527
Date Received: 04/09/2021 1017
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4		Date An	alyzed:	05/21/2021 2234	
Prep Method: 200.7/200.8		Date Pre	epared:	05/18/2021 1400	
Pb	5.76	ug/L	1.00	1.00	1.0

Orange-Ulster BOCES Sdg Number: Port Jervis CSD Middle School 53 Gibson Road

Client Sample ID: Kitchen - 3 Bay Sink - left

Lab Sample ID: 420-194882-29

Date Sampled: 04/07/2021 0527
Date Received: 04/09/2021 1017
Client Matrix: Drinking Water

Job Number: 420-194882-1

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4		Date An	nalyzed: (05/21/2021 2236	
Prep Method: 200.7/200.8		Date Pr	epared: 0	05/18/2021 1400	
Pb	8.14	ug/L	1.00	1.00	1.0

Job Number: 420-194882-1 Sdg Number: Port Jervis CSD Middle School

Kitchen - 3 Bay Sink - right Client Sample ID:

Lab Sample ID: 420-194882-30

04/07/2021 0528 Date Sampled: Date Received: 04/09/2021 1017 Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4		Date Ar	nalyzed:	05/21/2021 2238	
Prep Method: 200.7/200.8		Date Pr	epared:	05/18/2021 1400	
Pb	11.4	ug/L	1.00	1.00	1.0

Job Number: 420-194882-1 Sdg Number: Port Jervis CSD Middle School

Client Sample ID: Kitchen - Hand washing sink

Lab Sample ID: 420-194882-31

04/07/2021 0528 Date Sampled: Date Received: 04/09/2021 1017 Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4		Date Ar	nalyzed:	05/21/2021 2241	
Prep Method: 200.7/200.8		Date Pr	epared:	05/18/2021 1400	
Pb	3.15	ug/L	1.00	1.00	1.0

DATA REPORTING QUALIFIERS

Client: Orange-Ulster BOCES Job Number:

Sdg Number: Port Jervis CSD Middle School

Lab Section	Qualifier	Description
Metals		
	g	Result fails applicable NYS drinking water standards
	U	The analyte was analyzed for but not detected at or above the
		lowest stated limit.

Certification Information

Client: Orange-Ulster BOCES Job Number:

Sdg Number: Port Jervis CSD Middle School

The following analytes are Not Part of the ELAP scope of accreditation:

Sulfur, Tungsten, Bicarbonate Alkalinity, 7 Day BOD 5210C, 28 Day BOD, Soluble BOD, Carbon Dioxide, Carbonate Alkalinity, CBOD Soluble, Chlorine, Cyanide (WAD), Ferrous Iron, Ferric Iron, Total Nitrogen, Total Organic Nitrogen, Dissolved Oxygen, pH, Solids (Fixed), Solids (Percent), Solids (Percent Moisture), Solids (Percent Volatile), Solids (Volatile Suspended), Temperature, TKN (Soluble), COD (Soluble), Total Inorganic Carbon, 2-Aminopyridine, 3-Picoline, 1-Methyl-2-pyrrilidinone, Aziridine, Dimethyl sulfoxide, 1-Chlorohexane, 1,2,4,5-Tetramethylbenzene, 4-Ethyl toluene, p-Diethylbenzene, Iron Bacteria, Salmonella, Sulfur Reducing Bacteria, & UOD (Ultimate Oxygen Demand).

The following analytes are Not Part of ELAP Potable Water scope of accreditation:

Ammonia (SM 4500NH3G), Biochemical Oxygen Demand (SM 5210B), Chemical Oxygen Demand (EPA 410.4), Dissolved Oxygen (SM 4500 O C), TKN (351.2), Phosphorus (365.3), Nitrate-Nitrite (353.2), Settable Solids (SM 2540F), Total Suspended Solids (SM 2540 C), m-Xylene & p-Xylene (502.2, 524), o-Xylene (502.2, 524), Sulfide (SM4500SD), Acenaphthene (525.2), Acenaphthylene (525.2), Fluoranthene (525.2), Fluorene (525.2), Pyrene (525.2), Benzo[a]anthracene (525.2), Benzo[b]fluoranthene (525.2), Benzo[g,h,i]perylene (525.2), Benzo[k]fluoranthene (525.2), Indeno[1,2,3-cd]pyrene (525.2), & Dibenz(a,h)anthracene (525.2). Pyridine

The following analytes are Not Part of ELAP Solid and Hazardous Waste scope of accreditation:

Ammonia (SM 4500NH3G), TKN (351.2), Phosphorus (365.3), 1,2-Dichloro-1,1,2-trifluoroethane (8260), & Chlorodifluoromethane (8260).

The following analytes are Not Part of ELAP Non Potable Water scope of accreditation:

Dissolved Organic Carbon (5310C), Mecoprop (8151A), MCPA (8151A).

Definitions and Glossary

Client: Orange-Ulster BOCES Job Number:

Sdg Number: Port Jervis CSD Middle School

Abbreviation	These commonly used abbreviations may or may not be present in this report.
%R	Percent Recovery
DL, RA, RE	Indicates a Dilution, Reanalysis or Reextraction.
EPA	United States Environmental Protection Agency
MDL	Method Detection Limit - an estimate of the minimum amount of a substance that an analytical process can reliably detect. A MDL is analyte- and matrix-specific and may be laboratory-dependent.
ND	Not detected at the reporting limit (or MDL if shown).
QC	Quality Control
RL	Reporting Limit - the minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.
RPD	Relative Percent Difference - a measure of the relative difference between two points.

EnviroTest Laboratories, LLC

315 Fullerton Avenue Newburgh, NY 12550

Chain of Custody Record

EnviroTest
Laboratories

		Phone (845) 562-0890 Fax (845) 562-0841																
		Client Information	Sampler: M. Doherty	B D.	hay	ab PM:						verable Ty rel I, Lev				JOB#:		
		Client Contact: Joseph Russo	Phone: 845-781-4887		<i>U</i> E	-Mail: oseph.ru	sso@ou	boces.	org			S ASP (D (Spec					000	
		·				lalina.red Naureen.							•,			199	882	· lot
		Company:				1			Ana	hain E						Page:		
		Orange-Ulster BOCES Address:	Due Date Requested:					-	Alla	lysis F	(eque:	Steu	1			Page 1 of 1 Preservation Cod	des:	
		53 Gibson Road City:	Standard Turn-Around TAT Requested (days):			-1										A HO		
		Goshen State, Zip:	4													A - HCL B - NaOH C - Zn Acetate	L- EDA M - Sodium Si	ulfite
		NY., 10924			:	_//	ii ii	 								D - Nitric Acid E - H2SO4	N - None O - MCAA	
		Phone: 845-781-4887	PO #:						20-19		 	. , 1111/11	l Hit	1		F - MeOH G - NH4CL	P - Other (spe	cify)
		Email: joseph.russo@ouboces.org Halina.redner@ouboces.org	PWS #:			4		42	20-19	4800						H - Ascorbic Acid I - Ice		
		Maureen.doherty@ouboces.org				W	Ice Ma	chine		7002	-B-1				9	J - DI Water K - Sodium		
		Project Name: Port Jervis CSD	Project #:			30	Date Sa	mpled:	4/7/2021						ainer	Thiosulfate		
		Site: MiddleSchool	Additional Contacts:				STEEL STEEL	۱.	I I		420-1	66347	2			Other: D-Nitric Acid		
				Sample	Matrix (DV	N= S S	Present						I		pero	Upon Receipt F		verified:
				Type	water, W=water	r, 🗐	9	_							Num	'	, N	
Sample Date	Sample Time	Sample Identification Client ID (Lab ID)		(C=comp, G=grab)		oil, 🗓 0		Lead							Tota			
$\geq <$	><			# 154/05/20/05/05/05/05/05/05/05/05/05/05/05/05/05	ation Code	* X	\heartsuit	D	1 1						\bowtie	Special In	structions/N	ote:
4/7/21	4:50	ice machine		G	DW		+	1	 				-		1			
4/7/21	4:50	1st Floor - Slop sink		G	DW		1	1	-	++	-				1			
4/7/21	4:53	Room 108 - sink		G	DW		++	1		4-1					1	·		
4/7/21	4:54	Room 107 - sink		G	DW		+	1	-	1					1			
4/7/21	4:55	Room 103 - sink		G	DW	$\bot \bot$	1	1		+-+					1			
4/7/21	4:56	Room 104 - sink		G	DW		++	1			-			_	1			
4/7/21	4:58	Boy's locker room - Coaches office sink	<u> </u>	G	DW	4	+	1		++	_		-	_	1			
4/7/21	4:58	Boy's locker room - Bathroom sink - Left		G	DW	$+\!\!+\!\!\!+$	++	1		1	-				1			
4/7/21	4:59	Boy's Locker room - bathroom sink - right		G	DW	+	1	1		+-+	-		1-1		1			
4/7/21	5:01	Girl's locker room - bathroom sink - left		G	DW		-	1		+	-		\Box		1			
4/7/21	5:05	2nd floor - Girl's bathroom - sink by itself		G	DW	╁┼	+	1			_		+		46			
4/7/21	5:08	Principal - bathroom sink Nurse's office - bathroom sink		G	DW	+	++	1	 	++	+		+	_				
4/7/21	5:09	Nurse's office - ballroom sink Nurse's office - sink			DW	╫	++	1		++		-	+					
4/7/21	5:10			G			++	1		1		_		-			·	
4/7/21	5:11	2nd floor - boy's bathroom - sink by itself		G	DW	\perp	+	1		1 1			+	\perp	1			
		Container Code: P=Plastic, A=Amber, V=Vial, G=Glass, B=Bacteria, C=Cube, O= Preservation Added Upon Receipt: N	Manufacturer/Lot #: Date:			Time		P				Sample#	t (s):	<u> </u>	<u> </u>	Container Type		
		Relinquished by: Robert	1/9/2021, 10	1/	Company OUBOCES		Receive	PLA	L		L		Date/	19 6	Zo	1017	Company	
		Relinquished by:	Date/Time:		Company		Receive	ed by:			$\overline{\mathcal{I}}$		Date/	Time:	,		Company	
		Relinquished by:	Date/Time:		Company		Receive	ed by:				•	Date/	Гіте:	-		Company	
				10														
		ICE Present Custody Seal No.:	· 	Custody S	eais intact	Δ	Cooler	I empera	ture(s) °C/	IR GUN	*21	<u>' 10</u>		-				

EnviroTest Laboratories, LLC

315 Fullerton Avenue Newburgh, NY 12550 Phone (845) 562-0890 Fax (845) 562-0841

Chain of Custody Record

EnviroTest Laboratories

		Client Information Client Contact: Joseph Russo	Sampler: M. Doherty Tauvess Phone: 845-781-4887	E-Mail: joseph.russo@oub Halina.redner@ouk Maureen.doherty@					3	-	Deliverable Level I, L NYS ASF EDD (Sp	evel II, P Cat B		194882 253				
		Company: Orange-Ulster BOCES	<u> </u>						Analys	is Req	uested			Page: Page 1 of 1				
		Address: 53 Gibson Road	Due Date Requested: Standard Turn-Around											Preservation Co	des:			
		City:	TAT Requested (days):			H								A-HCL	. 504			
		Goshen State, Zip:	-											B - NaOH C - Zn Acetate	L- EDA M - Sodium Sulfite			
		NY , 10924 Phone:	PO#:											D - Nitric Acid E - H2SO4	N - None O - MCAA			
		845-781-4887				Ш								F - MeOH G - NH4CL	P - Other (specify)			
		Email: joseph.russo@ouboces.org Halina.redner@ouboces.org	PWS #:											H - Ascorbic Acid				
		Maureen.doherty@ouboces.org				ž 5	اءا							J - DI Water K - Sodium				
		Project Name:	Project #:			S Z	or No)						9490	Thiosulfate				
		Port Jervis CSD Site:	Additional Contacts:			Piple (Yes	nt (Yes						outsing	Other:				
		MiddleSchool	<u> </u>		Matrix (DW=	San	Sent							D-Nitric Acid	l Preservation verified:			
				Sample	drinking water,	MS/	Presei						l ode		Y / N			
Sample	Sample			Type (C=comp,	W=water, S=solid,	ld Fill	Chlorine	<u> </u>					Total Num					
Date	Time	Sample Identification Client ID (Lab ID)		G=grab)	O=waste/oil,	12 a		Lead	POST REMOTER SOC	SCO SERVISO II		o e e		7				
457/04	5:42	3rd floor - Women's Faculty Bathroom - sink		RANGE WHEN PRINCIPLES	ation Code: DW	M	200000	D 1						Special Ir	structions/Note:			
4/7/21	5:13			G		H	\vdash	`	+	+	\dashv							
4/7/21	5:14	Teachers room sink		G	DW	\vdash	\vdash	1		++	\dashv							
4/7/21	5:15	Teachers room - sprayer	· · · · · · · · · · · · · · · · · · ·	G	DW	\vdash		1	- -		\perp	-						
4/7/21	5:17	3rd floor - Men's faculty bathroom - sink		G	DW	Н.		1				\rightarrow		<u> </u>				
4/7/21	5:19	Library - sink		G	DW	Ш		1		11								
4/7/21	5:21	Room 311 - kitchen #1 sink		G	DW			1		44								
4/7/21	5:21	Room 311 - kitchen #2 sink		G	DW			1					1					
4/7/21	5:22	Room 311 - kitchen #3 sink		G	DW			1					1					
4/7/21	5:22	Room 311 - kitchen #4 sink		G	DW			1					1					
4/7/21	5:24	Kitchen - Dishwasher Sprayer		G	DW			1					1					
4/7/21	5:25	Kitchen - slop sink		G	DW			1					1					
4/7/21	5:26	Kitchen - Sink by ice cream machine		G	DW			1					1					
4/7/21	5:27	Kitchen - Kettle Filler		G	DW			1					1					
4/7/21	5:27	Kitchen - 3 Bay sink - left		G	DW			1					1					
4/7/21	5:28	Kitchen - 3 bay sink - right		G .	DW			1					1					
		Container Code: P=Plastic, A=Amber, V=Vial, G=Glass, B=Bacteria, C=Cube, O=	Other, T=Terracore, D=BOD Bottle	9			1	,						Container Type				
		Preservation Added Upon Receipt: M Religquished by:	lanufacturer/Lot #: Date:	- (5	Company	Time:	Receive	d by: A		1	Sannpl	e # (s): Date	me: y	101	Company			
		Relinquished by:	Date/Time:	<u>°//</u>	OUBOCES		Receive	/VA	1		K)	Date/Ti	-77	9/24 1015	Company			
											_				Company			
		Relinquished by:	Date/Time:		Company		Receive	d by:				Date/Ti	me:	-	Company			
		ICE Present:		Custody S	eals Intact:		Coolar	emperature	(c) °(C) ID (SLINI #-			***		L			
	752 A 7 7 6 A	Total Total Marious Ocal No.		Outlody O	cale mitaet.	۵	COOIET	cimperature	(a) C/ IR C		21.	1º	_					

EnviroTest Laboratories, LLC

315 Fullerton Avenue Newburgh, NY 12550

Chain of Custody Record

EnviroTest
Laboratories

		Newburgh, NY 12550 Phone (845) 562-0890 Fax (845) 562-0841		٠.		J. J.										Labura	iones
		Client Information Client Contact:	Sampler: M. Doherty Phone:	-Mail:	PM: tail: eph.russo@ouboces.org						Deliverable Type: Level I, Level II, NYS ASP Cat B				JOB#:		
		Joseph Russo	845-781-4887		F	lalina.re	dner@	ouboce			EDD	(Speci	iy):			194	X 3£3
		Company: Orange-Ulster BOCES							Ana	ılysis R	eques	ted				Page: Page 1 of 1	
		Address: 53 Gibson Road	Due Date Requested: Standard Turn-Around													Preservation Cod	des:
		City:	TAT Requested (days):													A - HCL	L- EDA
		Goshen State, Zip:	1													B - NaOH C - Zn Acetate	M - Sodium Sulfite N - None
		NY , 10924 Phone:	PO #:			41						•				D - Nitric Acid E - H2SO4	O - MCAA P - Other (specify)
		845-781-4887				_										F - MeOH G - NH4CL	· Canar (openiny)
	4	Email: joseph.russo@ouboces.org Halina.redner@ouboces.org Maureen.doherty@ouboces.org	PWS#:			r No)										H - Ascorbic Acid I - Ice J - DI Water K - Sodium	
		Project Name:	Project #:			— \$	例 缺乏家							- 1	ners	Thiosulfate	
1.6.1		Port Jervis CSD Site:	Additional Contacts:			- [일]	g s								contai	Other:	
		MiddleSchool	, additional domains		M (B)	Sam	i i							Ì	of G	D-Nitric Acid	
				Sample	Matrix (DV drinking	929	Pres								mber		Preservation verified: Y / N
Sample	Sample			Type (C=comp,	water, W=water	. 10	Chlorine	٦							al Nu		
Date	Time	Sample Identification Client ID (Lab ID)		G≃grab)	S=solid O=waste/o	oil, E	₹Įā,	Lead	AN PARAMAGE BY D		E-nel sittletine so		N (196 1070 A	AL NO. 10 (1995)	Total		
<u> </u>	><			Preserva	THE RESERVE OF	P	Ψ×	D							$\perp \!$	Special In	structions/Note:
4/7/21	5:28	Kitchen - Hand washing sink		G	DW	+	-	1	-					+	1		
						+	-		$\perp \perp$		$\perp \perp$						
						$\perp \! \! \perp$					4-4			_			
					,	$\bot\!\!\!\bot$					$\perp \perp$						
						Ш											
																·	
.,,,,																	
															4 A		, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
						T			1 1								
					11, 1, 1	#									37.9		
						11			 	1			\vdash				
	,					╅	1-1			+	+++		\vdash	+			
		Container Code: P=Plastic, A=Amber, V=Vial, G=Glass, B=Bacteria, C=Cube, O=	Other TeTerroses Banco Sam				+	P	++	++	++	+	$\vdash \vdash$	+	200.0	Container Tire	
		Preservation Added Upon Receipt:	Manufacturer/Lot #: Date:			Time				/	s	ample #	(s):			Container Type	
		Relinquished by:	Date/Time: 12021; 10		Company OUBOCES		Rece	ived by	ah	フレ		7	Date/I	1/4	(2)	1015	Company
		Relinquished by:	Date/Time:		Company		Rece	ived by.		7			Date/T	ime:		•	Company
		Relinquished by:	Date/Time:	C	Company		Rece	ived by:					Date/T	ime:			Company
		ICE Present Custody Seal No.:		Custody Se	als Intact	: Δ	Coole	er Tempe	rature(s) °C	/ IR GUN#	2	702	/				

LOGIN SAMPLE RECEIPT CHECK LIST

Client: Orange-Ulster BOCES Job Number: 420-194882-1

SDG Number: Port Jervis CSD Middle School

Login Number: 194882

T/F/NA	Comment
NA	
NA	
True	
False	
True	21.1 C
False	
False	
True	Method does not require cooling
True	
NA	
True	
True	
True	
	NA NA True False True False True True True True True True True Tru